

NO. HFW-KLU (Vehicle) 2026-27-10858

Dated- 15/07/2026

Office of
the Chief Medical Officer

Kullu, District Kullu, Himachal Pradesh

Phone No. : 0 1 9 0 2 - 2 2 3 0 7 7
E-mail : cmokullu@gmail.com

Notice Inviting LIMITED Tender

The Limited tender is hereby invited under two bids system i.e. Technical and Financial from the well established authorized reputed and experienced Firm for Fabrication of Tata Winger MUV into Mortuary Vehicle for Regional Hospital Kullu. The Details of the Tender document is as follows:-

Description of e-tender	
Earnest Money Deposit	Rs. 10000/-
Tender Fee(Non refundable)	Rs. 500/-
Pre Bid meeting for queries	20.07.2026 at 11:00 am
Last date and time for Bid preparation & submission by bidders	30.07.2026 at 11:00 am
Date and Time of Opening Technical Bid.	30.07.2026 at 11:30 am
Date and Time of Opening Financial Bid.	To be decided later on

The complete bidding documents, fee details, technical specifications and key dates can be viewed/ downloaded from web sites www.kulluhospital.com. The Chief Medical Officer Kullu reserves the right to reject any/all bids without assigning any reason whatsoever.

Chief Medical Officer,
Kullu District Kullu HP
KULLU (H.P.)

A Scope of Work:-

1. Scope of Work

The successful bidder shall carry out complete modification of the Tata Winger vehicle into a fully functional mortuary van, including fabrication, electrical work, refrigeration system, interior and exterior modifications, testing, commissioning, and all allied works required for satisfactory operation.

2. Technical Specifications

A. Ventilation and Visibility Enhancements

1. Sliding toughened glass windows shall be provided on both sides of the vehicle to ensure adequate ventilation and visibility.
2. A separate battery and alternator system shall be installed to independently support the refrigeration unit and all auxiliary electrical equipment without affecting the vehicle's primary electrical system.

B. Interior Modifications

1. Slip-resistant, waterproof and easy-to-clean flooring shall be provided throughout the rear compartment.
2. One ergonomically designed attendant seat with integrated storage compartment shall be installed.
3. Rear side footsteps shall be provided to facilitate safe loading and unloading.
4. Adequate ventilation system including coach fans in the driver cabin and rear compartment shall be installed.
5. Interior surfaces shall be corrosion-resistant, washable and suitable for mortuary use.

C. Exterior Modifications

1. High-quality vinyl graphics, reflective markings and hospital identification shall be provided as per the design approved by CMO, Kullu or as per Government of Himachal Pradesh standards.
2. All modifications shall be aesthetically finished with anti-corrosive treatment and durable paint wherever required.

D. Mortuary Equipment Integration

1. One mortuary cabinet with refrigerator/freezer shall be installed.
2. The refrigeration unit shall be tested and capable of maintaining a temperature range of +2°C to -5°C or more.

3. The refrigeration system shall be fully compatible with the vehicle's electrical system and the auxiliary battery arrangement.
4. The cabinet dimensions and technical specifications shall strictly conform to **Central Armed Police Forces (CAPF) requirements and Ministry of Home Affairs (MHA) approved standards.**
5. Proper insulation shall be provided to ensure efficient cooling.
6. Emergency manual opening arrangement shall be provided.
7. Necessary electrical safety protections including MCB, wiring harness, earthing and overload protection shall be incorporated. Detail dimensional technical specification attached as **Specifications-I**

3. General Requirements

- All materials used shall be new, genuine and of superior quality.
- The modification work shall comply with applicable provisions of the Motor Vehicles Act and other statutory regulations.
- The successful bidder shall obtain any approvals required from competent authorities, wherever applicable.
- Complete testing and demonstration shall be carried out before handing over the vehicle.
- The bidder shall provide operation manuals and maintenance instructions.
- Warranty shall be provided for a minimum period of **12 months** from the date of successful commissioning against manufacturing defects and workmanship.

B Terms and Conditions/Eligibility Criteria for Bidders

1. The tenderers are requested to study the document carefully before submission of bids and must ensure that the conditions laid down for submission of offers detailed below are correctly and completely fulfilled. The tendering found to be deficient in any respect shall be summarily rejected. The profile of bidder is as per **Annexure-'A'**.
2. The bidder can also visit the Regional Hospital Kullu District Kullu, Himachal Pradesh on any working day with the prior intimation to inspect the vehicle parked in the premises.
3. The conditional offers and offers with terms and conditions inconsistent with those contained in this document shall not be entertained and shall liable to be rejected.
4. The tender once submitted shall not be allowed to be withdrawn, altered or cancelled in part or in whole. Any departure from these conditions will be liable to disqualify the tender and tenderer and the EMD of concerned bidder will be forfeited.
5. The validity of tender is 90 days only.

6. The tenderer shall deposit the sum of Rs. 10,000/- (Rs. Ten thousand only) as earnest money in the shape of FDR duly pledged in favour of CMO Kullu and same will be refunded after successful completion of the work.
7. The bidder shall submit price bid in Indian Rupees.
8. TDS shall be deducted on billing amount as per Central Govt. instructions.
9. The technical bids will be opened in the presence of bidders or their authorized representative.
10. The financial bid of those bidders who are found to be eligible in the Technical Bids shall be opened.
11. The successful bidder will have to deposit a sum of 5% of the amount of bid as Performance Security to the CMO Kullu with 05 days after award of work. In case cancellation of contract due to default at the end of contractor, the security deposit will be forfeited (in case of bank guaranty the same will be encashed). In case of successful completion of contract, the security deposit will be refunded without any interest.
12. Work must be completed within 30 days from the date of providing of vehicle to successful bidder. The successful bidder will not engage any sub-agent or sub-contractor whatsoever for the purpose.

13. PAYMENT TERMS

Payment will be made after satisfactory completion of the work duly certified by the technical committee. The Contractor has to forward/submit invoice to Accounts officer with a copy to Purchase Officer & Stores officer. No advance payment shall be made. Payment shall be released only after successful completion of the work, inspection, satisfactory trial, submission of invoice and certification by the inspection committee.

14. SECURITY DEPOSIT

The contractor shall deposit a sum equivalent of 5% of work award as Security deposit in the form of bank guaranty or by demand draft or FDR duly pledged in the name of Chief Medical Officer Kullu district Kullu HP valid till the contract period. In case cancellation of contract due to default contractor, the security deposit will be forfeited (in case of bank guaranty the same will be encashed). In case of successful completion of contract, the security deposit will be refunded without any interest.

15. INSPECTION

The inspection and testing of the Mortuary Van, including the refrigerated freezer box and all associated modifications, shall be carried out by the Technical Committee constituted by the Chief Medical Officer (CMO), Kullu, or by an authorized representative nominated by the CMO, Kullu.

The inspection shall be conducted in the following stages:

A. Pre-Dispatch Inspection



1. A pre-dispatch inspection shall be carried out at the manufacturing/fabrication premises of the successful bidder before dispatch of the vehicle.
2. The Technical Committee or authorized representative shall inspect the complete fabrication process, including:
 1. Structural fabrication of the mortuary van.
 2. Installation and quality of the refrigerated freezer box.
 3. Stainless steel fabrication and finishing.
 4. Thermal insulation and waterproofing.
 5. Refrigeration system, compressor, condenser, evaporator, and cooling performance.
 6. Electrical wiring, auxiliary battery, alternator, control panel, and safety devices.
 7. Ventilation system, sliding glass windows, flooring, attendant seat, rear footsteps, vinyl graphics, and all other accessories specified in the tender.
3. The successful bidder shall provide all necessary facilities, tools, testing equipment, and technical assistance required for inspection without any additional cost to the purchaser.
4. Any deficiencies observed during the inspection shall be rectified by the successful bidder before dispatch of the vehicle.

B. Post-Dispatch Inspection

1. After delivery of the modified Mortuary Van at Regional Hospital, Kullu, a detailed post-dispatch inspection shall be carried out by the Technical Committee or the authorized representative of the CMO, Kullu.
2. The inspection shall include verification of:
 1. Compliance with all tender specifications.
 2. Physical dimensions and workmanship.
 3. Functional performance of the refrigeration system.
 4. Temperature maintenance capability.
 5. Electrical safety and operational performance.
 6. Installation quality of all accessories and fittings.
 7. Availability of all manuals, warranty certificates, test reports, and accessories.
3. Performance testing of the refrigeration system shall be carried out to verify that the specified operating temperature is achieved and maintained under normal operating conditions.
4. The Mortuary Van shall be accepted only after the Technical Committee certifies that the vehicle and all associated equipment fully comply with the specifications and terms of the contract.
5. In case of any deficiency, defect, or deviation from the prescribed specifications, the successful bidder shall rectify or replace the defective component(s) at its own cost within the time specified by the purchaser.

6. Final acceptance of the Mortuary Van shall be subject to satisfactory completion of post-dispatch inspection and issuance of an Acceptance Certificate by the Technical Committee.

16. PENALTY

Delay beyond the stipulated completion period shall attract a penalty at the rate of 0.5% of the contract value per week, subject to a maximum of 10% of the total contract value.

17. The following documents are required to be submitted along with the bid for technical evaluation: -

Sr. No.	Document Required
1.	Covering Letter on the firm's letterhead.
2.	Duly filled and signed Technical Bid Form.
3.	Tender Document Fee of ₹500/- in the form of Demand Draft.
4.	Earnest Money Deposit (EMD) of ₹10,000/- in the form of Demand Draft.
5.	Self-attested copy of Firm Registration Certificate/Certificate of Incorporation/Partnership Deed, as applicable.
6.	Self-attested copy of GST Registration Certificate.
7.	Valid authorization certificate, if participating as an authorized dealer/distributor.
8.	Technical catalogue/brochure and specifications of the proposed refrigerator/freezer unit.
9.	Detailed technical compliance statement against each specification mentioned in the tender document.
10.	Declaration confirming compliance with CAPF specifications and Ministry of Home Affairs (MHA) approved standards, wherever applicable.
11.	Declaration confirming compliance with the Central Motor Vehicle Rules (CMVR) and other applicable statutory requirements.
12.	Warranty undertaking for a minimum period of 12 months on complete modification work, refrigeration unit, and electrical installations.
13.	Undertaking that all materials and equipment supplied shall be new, genuine, and unused.
14.	Signed copy of the complete tender document on each page as a token of acceptance of all terms and conditions.
15.	Declaration regarding non-blacklisting by any Central Government, State Government, PSU, Autonomous Body, or Government Institution.
16.	Affidavit/Undertaking stating that all information furnished in the bid is true and correct.
17.	Contact details of the bidder, including office address, email address, and mobile number.
18.	
19.	

1
Chief Medical Officer,
Kullu District Hospital,
Kullu (Kullu HP)

Annexure – A

PROFILE OF THE BIDDER

1. Name of the Firm & Address :
2. Year of Establishment :
3. Address and phone number of the Bidder in Himachal Pradesh :
4. Status of the firm:
(Whether Pvt. Ltd. company / Public Ltd. company/ Partnership Firm / Proprietorship Firm)
5. GST No. of Bidder _____
6. PAN : _____

Place :
Date :

SIGNATURE:
Name & Designation & seal of the Bidder

(Letter to the CMO Kullu on the Bidders's letter head)

To

The Chief Medical Officer,
Kullu District Kullu HP

Subject Tender document for Fabrication of Tata Winger MUV into Mortuary Vehicle
for Regional Hospital Kullu.

Sir,

With reference to your tender notice no.....
dated.....having examined and understood the instructions, terms and conditions
forming part of the tender, we hereby enclose our offer for Fabrication of Tata Winger MUV into
Mortuary Vehicle for Regional Hospital Kullu as detailed in your above referred tender.

We confirm that we have not been disqualified/blacklisted by any Banks/Govt.
Deptt./Institutions for Annual Maintenance Contract of elevator and further confirm that the
offer is in conformity with the terms and conditions as mentioned in the tender document.

We understand that the CMO Kullu HP is not bound to accept the offer
either in part or in full and that CMO Kullu has the right to reject the offer in full or in
part without assigning any reason whatsoever.

We have read the instructions appended to the Performa and I / We understand
that if any false information is detected at a later date, any contract made between ourselves
and CMO Kullu on the basis of the information given by me / us can be treated as invalid by
the Bank and I / We will be solely responsible for the consequences.

1. I / We agree that the decision of the CMO Kullu in selection of contractors will be
final and binding to me / us.
2. All the information furnished by me/us above here is correct to the best of my/our
knowledge and belief.
3. I / We agree that I / We have no objection if enquiries are made about the work listed
by me / us here in above and/or in the accompanying sheets.

Yours faithfully,

Authorized Signatories (Name &
Designation, seal of the Bidder)

Checklist of Documents to be Submitted with the Technical Bid

Name of Work: Modification of Tata Winger Vehicle into Mortuary Van

Name of Bidder: _____

Sr. No.	Document Required	Submitted (Yes/No)	Page No.
1.	Covering Letter on the firm's letterhead.		
2.	Duly filled and signed Technical Bid Form.		
3.	Tender Document Fee of ₹500/- in the form of Demand Draft.		
4.	Earnest Money Deposit (EMD) of ₹10,000/- in the form of Demand Draft/FDR.		
5.	Self-attested copy of Firm Registration Certificate/Certificate of Incorporation/Partnership Deed, as applicable.		
6.	Self-attested copy of GST Registration Certificate.		
7.	Self-attested copy of PAN Card of the firm.		
8.	Valid authorization certificate, if participating as an authorized dealer/distributor.		
9.	Technical catalogue/brochure and specifications of the proposed refrigeration/freezer unit.		
10.	Technical brochure/catalogue of the proposed mortuary cabinet and accessories.		
11.	Detailed technical compliance statement against each specification mentioned in the tender document.		
12.	Declaration confirming compliance with CAPF specifications and Ministry of Home Affairs (MHA) approved standards, wherever applicable.		
13.	Declaration confirming compliance with the Central Motor Vehicle Rules (CMVR) and other applicable statutory requirements.		
14.	Warranty undertaking for a minimum period of 12 months on complete modification work, refrigeration unit, and electrical installations.		
15.	Undertaking that all materials and equipment supplied shall be new, genuine, and unused.		
16.	Signed copy of the complete tender document on each page as a token of acceptance of all terms and conditions.		
17.	Declaration regarding non-blacklisting by any Central Government, State Government, PSU, Autonomous Body, or Government Institution.		
18.	Affidavit/Undertaking stating that all information furnished in the bid is true and correct.		
19.	Contact details of the bidder, including office address, email address, and mobile number.		

Declaration by the Bidder

I/We hereby certify that all the documents submitted with this Technical Bid are true, complete, and authentic. I/We have carefully read and understood all the terms and conditions of the tender document and agree to abide by them.

Place: _____

Date: _____

Signature of Authorized Signatory

Name: _____

Designation: _____

Seal of the Firm

FINANCIAL BID (PRICE BID)

OFFICE OF Chief Medical Officer, Kullu District, KULLU

Name of Work: Modification of Tata Winger Vehicle into Mortuary Van

Tender No.: _____

Name of Bidder: _____

Address: _____

GSTIN: _____

PAN: _____

BOQ (Bill of Quantities)

Sr. No.	Description of Work	Qty.	Unit	Unit Rate (₹)	GST (%)	Total Amount (₹)
1	Complete modification of one Tata Winger vehicle into a Mortuary Van including design, fabrication, insulation, body modification, installation of stainless steel refrigerated mortuary cabinet, refrigeration/freezer unit, electrical wiring, auxiliary battery and alternator, ventilation system, sliding glass windows, waterproof anti-skid flooring, attendant seat with storage, rear footsteps, coach fans, vinyl graphics, testing, commissioning, labour, transportation, accessories, documentation, and all other works as per the tender specifications. As per annexure (Specification)	1	Job			

Total Basic Cost (Excluding GST): ₹ _____

GST @ _____ %: ₹ _____

Grand Total (Including GST): ₹ _____

Amount in Words:

Rupees _____ Only.



Declaration by the Bidder

1. I/We have carefully read and understood all the terms and conditions of the tender document and agree to execute the work strictly in accordance with the specifications and conditions laid down therein.
2. The quoted rates are inclusive of all costs towards design, fabrication, materials, labour, insulation, refrigeration system, electrical work, installation, testing, commissioning, loading, unloading, transportation, insurance, packing, handling, warranty obligations, and all incidental charges. GST has been indicated separately.
3. I/We agree that no additional payment shall be claimed on any account other than those specifically mentioned in this Financial Bid.
4. I/We undertake to complete the work within the stipulated period specified in the tender document.
5. I/We agree to keep this offer valid for a period of **180 days** from the date of opening of the Financial Bid.

Place: _____

Date: _____

Signature of Authorized Signatory

Name: _____

Designation: _____

Name of Firm: _____

Office Seal

A Technical Specifications for Refrigerated Freezer Box (Single Body)

1. Type

The freezer box shall be a fixed-type refrigerated mortuary freezer box designed for installation inside the Tata Winger Mortuary Van for preservation and transportation of a single human body.

2. Size

(A) Inner Dimensions

- Length: 79 inches
- Width: 23 inches
- Height: 25 inches

(B) Outer Dimensions

- Length: 81 inches
- Width: 25 inches
- Height: 27 inches

Minor dimensional variations may be accepted only if they do not affect the functional performance or compatibility with the vehicle.

3. Fabrication Material

1. The freezer box shall be fabricated with stainless steel.
2. The stainless steel sheet shall have a minimum thickness of 18 Gauge (18G).
3. The structure shall be rust-proof, corrosion-resistant, hygienic, and suitable for continuous mortuary use.
4. All welding joints shall be smooth, leak-proof, and properly finished without sharp edges.

4. Door

1. The freezer box shall be provided with a front-opening insulated door.
2. The insulation shall consist of 2-inch thick Polyurethane Foam (PUF).
3. The door shall open outward for convenient loading and unloading.
4. A heavy-duty locking arrangement with keys shall be provided.
5. The door shall have a durable rubber gasket to ensure airtight sealing and prevent leakage of cooled air.
6. Heavy-duty stainless steel hinges and locking hardware shall be provided.

5. Cooling System

1. The refrigeration system shall operate through a heavy-duty compressor suitable for vehicle-mounted applications.
2. The refrigeration system shall be integrated with the vehicle electrical system and supported by the auxiliary battery and alternator provided in the mortuary van.

3. All necessary electrical wiring, switches, relays, connectors, protection devices, and accessories shall be supplied and installed.
4. The condenser unit shall be mounted at an appropriate protected location, preferably on the roof or another suitable location, to prevent damage during transit while ensuring proper ventilation.
5. The refrigeration system shall include an air circulation (agitation) fan for uniform cooling throughout the chamber.
6. The system shall also accommodate conventional ice trays, wherever required.
7. The refrigeration unit shall be capable of maintaining an internal chamber temperature of approximately $+1^{\circ}\text{C}$ under normal operating conditions.
8. The refrigeration system shall be energy-efficient, low-noise, and suitable for continuous operation.

6. Accessories

The following accessories shall be supplied along with the freezer box:

1. One stainless steel stretcher mounted on heavy-duty wheels.
2. The stretcher shall move smoothly into and out of the freezer box using guide rails or rollers.
3. The stretcher shall support the entire body safely over its full length and width.
4. All mounting brackets, guide rails, fasteners, and fittings required for installation.

7. Other Technical Requirements

A. Installation

1. The complete freezer box assembly shall be permanently fixed inside the mortuary van.
2. All mounting brackets, clamps, fasteners, supports, and accessories required for installation shall be supplied by the successful bidder.
3. The system shall be suitable for safe operation during transportation under varying road conditions.

B. Vibration Protection

1. Suitable anti-vibration pads, rubber mounts, or shock absorbers shall be provided to protect the refrigeration system and freezer box from road shocks and vibration.

C. Environmental Conditions

1. The system shall operate satisfactorily under ambient temperatures ranging from 10°C to 50°C .
2. The system shall function efficiently at relative humidity up to 100%.

D. Climatic Protection

The complete refrigeration system shall be adequately protected against dust, rain, moisture, vibration, and adverse climatic conditions encountered anywhere in India.

E. Electromagnetic Compatibility

The equipment shall not be adversely affected by electromagnetic interference (EMI) or electrical disturbances conducted through the vehicle power system.

F. Safety

1. The freezer box shall have no exposed sharp edges or hazardous projections.
2. All moving parts and electrical components shall be adequately guarded.
3. The installation shall comply with applicable electrical and vehicle safety standards.

G. Controls

All controls, switches, knobs, indicators, and displays shall be clearly visible, properly labelled, and easily accessible to the operator.

H. Labels and Markings

All operational markings, safety labels, temperature indicators, and identification plates shall be permanent, legible, and clearly visible.

I. Ease of Operation and Maintenance

1. The system shall be simple to operate with minimum operator training.
2. Serviceable components shall be easily accessible for routine maintenance and repairs.

J. Backup Power

The refrigeration system shall be provided with an auxiliary backup power arrangement capable of maintaining cooling for a minimum of 2-3 hours in the event of engine shutdown or interruption of the primary power supply.

K. Preservation Performance

The system shall be capable of preserving a human body for extended periods during transportation by maintaining the specified chamber temperature under normal operating conditions.

L. Odour Control

The freezer box shall be airtight and designed to prevent leakage of fluids and emission of foul odours during storage and transportation.

8. Packaging and Storage

1. The freezer box and all associated accessories shall be adequately packed to prevent damage during transportation, handling, loading, unloading, and storage.
2. The equipment shall be capable of withstanding temperature and humidity extremes likely to be encountered during storage, transportation, and operation under Indian climatic conditions without deterioration in performance or structural integrity.
3. The supplier shall ensure that all components are protected against corrosion, moisture ingress, dust, vibration, and accidental damage during transit.

B Partition wall

- i The partition between the driver and deceased compartments will be at a distance (L=3200mm) from the rear door's inner trim.
- ii Partition wall will be of 3/4" MS square section pipe frame structure and will have space for fitting exhaust fan (6"-8") fan to fit in properly.

C Vehicle Identification and Warning System

The successful bidder shall provide and install the following vehicle identification and warning features as part of the complete modification of the Tata Winger Mortuary Van:

A. Warning Signal System

1. The Mortuary Van shall be fitted with an appropriate electronic hooter/warning signal system suitable for a mortuary vehicle.
2. The hooter shall be securely mounted, weatherproof, and electrically integrated with the vehicle's electrical system.
3. The complete wiring, switches, mounting brackets, and accessories required for installation shall be included in the scope of supply.

B. Vehicle Identification Markings

1. The words "MORTUARY VAN" shall be prominently displayed in bold, weather-resistant reflective lettering on the front top portion of the vehicle above the windshield.
2. The same wording shall also be displayed on both sides and the rear of the vehicle in reflective lettering of appropriate size for easy identification.

C. Institutional Identification

The following details shall be permanently displayed on both sides of the vehicle using high-quality reflective vinyl graphics:

MEDICAL SUPERINTENDENT
REGIONAL HOSPITAL, KULLU
Himachal Pradesh Telephone: 01902-222350

D. General Requirements

1. All lettering, logos, markings, and graphics shall be made of premium quality weatherproof and UV-resistant reflective vinyl.
2. The colour, size, font, design, and placement of all markings shall be approved by the CMO Kullu, before application.
3. The bidder shall ensure that all identification markings remain durable, legible, and resistant to fading, peeling, and weathering throughout the warranty period.

Chief Medical Officer,
Kullu District Kullu H.P.
Chief Medical Officer
KULLU (H.P.)